



SAFETY DATA SHEET

Cutan Alcohol Foam

This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, February 2016).

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name Cutan Alcohol Foam
Product No. 6195, 6045, 6044, 6190, 6047, 6175, 6197

Relevant identified uses of the substance or mixture and uses advised against

Application Hand Sanitiser

Details of the supplier of the safety data sheet

Supplier DEB Australia Pty Ltd
Unit 1
1 Secombe Place
Moorebank
NSW 2170
Australia
(61 2) 8763 1800
(61 2) 8763 1899
sales@deb.com.au

Manufacturer DEB Worldwide Healthcare Inc
76 Adams Boulevard
Brantford
Ontario
N3S 7V2
Telephone: 519-7591051
Fax: 519-759-6384

Emergency telephone number

Emergency telephone NSW Poisons Information Centre Contact 131126 New Zealand call 0800 764 766

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Flam. Liq. 3 - H226
Health hazards Acute Tox. 3 - H331 Eye Dam. 1 - H318
Environmental hazards Not Classified

Physicochemical The product is highly flammable. Vapours may form explosive mixtures with air.

Label elements

Cutan Alcohol Foam

Pictogram



Signal word

DANGER

Hazard statements

H226 Flammable liquid and vapour.
 H318 Causes serious eye damage.
 H331 Toxic if inhaled.

Precautionary statements

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. - No smoking.
 P261 Avoid breathing vapour/ spray.
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog for extinction.
 P312 Call a POISON CENTER or doctor/ physician if you feel unwell.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information

The safety of the product when used as directed has been confirmed by an independent toxicologist.
 Eye protection not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.

Contains

PROPAN-1-OL

SECTION 3: Composition and information on ingredients

Mixtures

ETHANOL	30-60%
CAS number: 64-17-5	
Classification	
Flam. Liq. 2 - H225 Eye Irrit. 2A - H319	
PROPAN-1-OL	5-10%
CAS number: 71-23-8	
Classification	
Flam. Liq. 2 - H225 Eye Dam. 1 - H318 STOT SE 3 - H336	
Ethanol, 2,2'-iminobis-, Compd. 65530-63-4 With .alpha.-fluoro-omega-[2-(phospho nooxy)ethyl]poly(difluoromethylene) (2:1)	<1%
CAS number: 65530-63-4	
Classification	
Acute Tox. 1 - H330	

Cutan Alcohol Foam

Ethanol, 2,2'-iminobis-, Compd. 65530-64-5 With
 .alpha.,.alpha.'-[phosphinicobis(oxy- 2,1-
 ethanediyl)]bis[.omega.-fluorop oly(dif Luoromethylene)] (1:1)

<1%

CAS number: 65530-64-5

Classification

Acute Tox. 1 - H330

STOT RE 2 - H373

The full text for all hazard statements is displayed in Section 16.

Composition comments Alcohol Denat, Aqua, Propyl Alcohol, Glycerin, DEA C8 C18 Perfluoroalkylethyl Phosphate, Butyl Glycol, Butylene Glycol, Coco Glucoside, Glyceryl Oleate

SECTION 4: First aid measures

Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

Ingestion DO NOT induce vomiting. Get medical attention immediately.

Skin Contact Remove contaminated clothing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed

Inhalation Prolonged exposure may cause chronic effects.

Ingestion May cause nausea, headache, dizziness and intoxication.

Skin contact None known.

Eye contact May cause severe eye irritation.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide or dry powder.

Special hazards arising from the substance or mixture

Specific hazards FLAMMABLE.

Hazardous combustion products Oxides of carbon.

Advice for firefighters

Protective actions during firefighting Fight fire from safe distance or protected location. Containers close to fire should be removed or cooled with water.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

Hazchem Code •3W

Cutan Alcohol Foam

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Take precautionary measures against static discharges. No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with eyes.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Contain spillage with sand, earth or other suitable non-combustible material.

Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Wash thoroughly after dealing with a spillage. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Usage precautions Avoid contact with eyes. Keep away from heat, sparks and open flame. Keep in a cool, well ventilated place.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly closed original container in a well-ventilated place. Keep away from heat, sparks and open flame.

Storage class Flammable liquid storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): 1000 ppm 1880 mg/m³

PROPAN-1-OL

Long-term exposure limit (8-hour TWA): 200 ppm 492 mg/m³

Short-term exposure limit (15-minute): 250 ppm 614 mg/m³

Sk

Sk = Absorption through the skin may be a significant source of exposure.

Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate ventilation.

Cutan Alcohol Foam

Eye/face protection	Not required normally but wear eye protection if you are conducting an operation where there is a risk of this product getting in the eyes.
Hand protection	Hand protection not required.
Hygiene measures	DO NOT SMOKE IN WORK AREA! Promptly remove any clothing that becomes contaminated.
Respiratory protection	No specific requirements are anticipated under normal conditions of use. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear to slightly opalescent yellowish liquid
Colour	Clear to slightly opalescent yellowish
Odour	Alcoholic.
pH	pH (concentrated solution): 6.5-8.5
Melting point	Not Applicable°C
Relative density	0.875 - 0.890 g/mL

SECTION 10: Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	No particular stability concerns.
Possibility of hazardous reactions	Not known.
Conditions to avoid	Avoid heat, flames and other sources of ignition.
Materials to avoid	Oxidising Agents Strong oxidising agents.
Hazardous decomposition products	Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m ³ . Oxides of carbon. Oxides of nitrogen.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 3.0

General information	Avoid inhalation of vapours and spray/mists.
Inhalation	Prolonged exposure may cause chronic effects.
Ingestion	May cause nausea, headache, dizziness and intoxication.
Skin Contact	Skin irritation should not occur when used as recommended.
Eye contact	Irritating to eyes.

SECTION 12: Ecological Information

Cutan Alcohol Foam

Ecotoxicity The product is not expected to be hazardous to the environment.

Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential

Bioaccumulative Potential No data available on bioaccumulation.

Mobility in soil

Mobility The product is soluble in water.

Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

General information Only experts should be permitted to carry out disposal of this material. When handling waste, the safety precautions applying to handling of the product should be considered. Wear suitable protective clothing as protection against splashing or contamination.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

UN number

UN No. (ADG) 1987

UN No. (IMDG) 1987

UN No. (ICAO) 1987

UN proper shipping name

Proper shipping name (ADG) FLAMMABLE LIQUID, TOXIC, N.O.S. (CONTAINS ETHANOL, Ethanol, 2,2'-iminobis-, Compd. 65530-64-5 With .alpha.,.alpha.'-[phosphinicobis(oxy- 2,1-ethanediy)]bis[.omega.-fluorop oly(dif Luoromethylene)] (1:1))

Proper shipping name (IMDG) FLAMMABLE LIQUID, TOXIC, N.O.S. (CONTAINS ETHANOL, Ethanol, 2,2'-iminobis-, Compd. 65530-64-5 With .alpha.,.alpha.'-[phosphinicobis(oxy- 2,1-ethanediy)]bis[.omega.-fluorop oly(dif Luoromethylene)] (1:1))

Proper shipping name (ICAO) FLAMMABLE LIQUID, TOXIC, N.O.S. (CONTAINS ETHANOL, Ethanol, 2,2'-iminobis-, Compd. 65530-64-5 With .alpha.,.alpha.'-[phosphinicobis(oxy- 2,1-ethanediy)]bis[.omega.-fluorop oly(dif Luoromethylene)] (1:1))

Transport hazard class(es)

ADG class 3

ADG subsidiary risk 6.1

ADG classification code FT1

ADG label 3

IMDG class 3

IMDG subsidiary risk 6.1

ICAO class/division 3

Cutan Alcohol Foam

ICAO subsidiary risk 6.1

Transport labels



Packing group

ADG packing group III

IMDG packing group III

ICAO packing group III

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

EmS F-E, S-D

Hazchem Code •3W

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations This Safety Data Sheet has been prepared in accordance with the Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice (Safe Work Australia, February 2016).

HSNO Approval No:

SECTION 16: Any other relevant information

Revision comments Revision of information

Revision date 14/11/2017

Revision 10

Supersedes date 2/11/2017

SDS No. 21243

Hazard statements in full

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H331 Toxic if inhaled.
- H336 May cause drowsiness or dizziness.
- H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.